



Pool of Italian Cancer Registries - 1 January 2010


# OSSO

## BONE

(ICD-10 C40-41)

### COMPLETE PREVALENCE BY YEARS SINCE DIAGNOSIS

YEARS →	≤2	(2 - 5]	(5 - 10]	(10 - 15]	(15 - 20]	> 20
No. →	1 014	1 059	1 596	1 397	1 198	8 106
% →	7%	7%	11%	10%	8%	56%
PROPORTION PER 100 000 →	2	2	3	2	2	13
	MALE 32%			FEMALE 68%		




### COMPLETE PREVALENCE BY SEX, MACRO-AREA, AND AGE



(PROPORTION PER 100 000)

AGE CLASS →	0-44	45-59	60-74	75+	ALL AGES
<b>MALE</b>					
NORTH WEST	15	24	22	18	19
NORTH EAST	10	17	14	26	14
CENTRE	12	22	22	28	17
SOUTH	12	19	10	17	14
POOL	12	20	16	21	15
<b>FEMALE</b>					
NORTH WEST	17	35	77	53	37
NORTH EAST	13	31	36	42	25
CENTRE	19	82	59	46	42
SOUTH	11	65	39	31	29
POOL	14	47	51	43	30
<b>BOTH SEXES</b>					
NORTH WEST	16	30	51	40	28
NORTH EAST	12	24	26	36	19
CENTRE	15	53	41	39	30
SOUTH	12	43	26	26	21
POOL	13	33	34	35	23

ALREADY CURED at 1 JANUARY 2010  
**10 145 (71%)**



### COMPLETE PREVALENCE AND PROPORTION OF ALREADY CURED SURVIVORS BY SEX



**COMPLETE PREVALENCE**  
Overall number (or proportion) of cancer survivors.

**TIME TO CURE**  
Time span after cancer diagnosis necessary to eliminate excess mortality due to cancer. It is measured as the time necessary to reach a 5-year conditional relative survival (that is the probability to survive additional five years) >95%.

**ALREADY CURED SURVIVORS**  
Patients who have survived longer than time to cure.

**CURE FRACTION**  
Proportion of cancer patients who are expected to reach the same death rates of the general population and will not die as a result of their cancer.

### CURE FRACTION AND TIME TO CURE BY AGE AT DIAGNOSIS AND SEX FOR CANCER PATIENTS DIAGNOSED IN ITALY IN 1985-2009

AGE AT DIAGNOSIS	CURE FRACTION %		AGE AT DIAGNOSIS	TIME TO CURE YEARS	
	MALE	FEMALE		MALE	FEMALE
0 - 44	59%	60%	0 - 44	7	12
45 - 59	42%	36%	45 - 59	8	18
60 - 74	30%	19%	60 - 74	9	23
75+	24%	12%	75+	10	>25