2 587 347 CANCER SURVINGE



Pool of Italian Cancer Registries - 1 January 2010

# SARCOMA DI KAPOSI

KAPOSI SARCOMA

(ICD-10 C46)

#### **COMPLETE PREVALENCE BY YEARS SINCE DIAGNOSIS**

YEARS →	≤ 2	(2 - 5]	(5 - 10]	(10 - 15]	(15 - 20]	> 20	
No. →	1 440	1 376	2 281	1 443	792	781	
% →	18%	17%	28%	18%	10%	10%	
PROPORTION → PER 100 000	3	3	4	3	1	1	

**MALE 71**% **FEMALE 29**%

# **COMPLETE PREVALENCE BY SEX, MACRO-AREA, AND AGE**

(PROPORTION PER 100 000)


AGE CLASS →	0-44	45-59	60-74	75+	ALL AGES
MALE					
NORTH WEST	7	32	59	142	33
NORTH EAST	5	19	34	81	19
CENTRE	1	5	13	32	7
SOUTH	1	14	41	127	18
POOL	4	20	42	108	22
FEMALE					
NORTH WEST	1	4	17	45	11
NORTH EAST	1	2	11	28	6
CENTRE	1	0	2	21	3
SOUTH	1	1	16	65	10
POOL	1	2	14	42	8
BOTH SEXES					
NORTH WEST	4	18	37	79	22
NORTH EAST	3	10	22	47	12
CENTRE	1	2	7	25	5
SOUTH	1	7	28	89	14
POOL	2	11	27	67	15

# ALREADY CURED at 1 JANUARY 2010

**5 472** (67%)

KAPOSI SARCOMA

**CANCER SURVIVORS** 



#### **COMPLETE PREVALENCE AND PROPORTION** OF ALREADY CURED SURVIVORS BY SEX



## **CURE FRACTION AND TIME TO CURE BY AGE AT DIAGNOSIS AND SEX** FOR CANCER PATIENTS DIAGNOSED IN ITALY IN 1985-2009

DI

	CURE FRACTION %		
AGE AT DIAGNOSIS	MALE	FEMALE	
0 - 44	38%	43%	
45 - 59	66%	63%	
60 - 74	84%	78%	
75+	90%	83%	

	TIME TO CURE YEARS			
AGE AT IAGNOSIS	MALE	FEMALE		
0 - 44	13	10		
45 - 59	8	7		
60 - 74	4	4		
75+	2	3		

## COMPLETE PREVALENCE

Overall number (or proportion) of cancer survivors

### TIME TO CURE

Time span after cancer diagnosis necessary to eliminate excess mortality due to cancer. It is measured as the time necessary to reach a 5-year conditional relative survival (that is the probability to survive additional five years) >95%.

# ALREADY CURED SURVIVORS

Patients who have survived longer than time to cure.

#### **CURE FRACTION**

Proportion of cancer patients who are expected to reach the same death rates of the general population and will not die as a result of their cancer.