

Pool of Italian Cancer Registries - 1 January 2010

# LINFOMA DI HODGKIN HODGKIN LYMPHOMA

(ICD-O-3 M9650-M9667)

#### **COMPLETE PREVALENCE BY YEARS SINCE DIAGNOSIS**

YEARS →	≤2	(2 - 5]	(5 - 10]	(10 - 15]	(15 - 20]	> 20
No. →	4 170	5 240	7 954	6 389	5 794	17 486
% →	9%	11%	17%	14%	12%	37%
PROPORTION → PER 100 000	7	9	13	11	10	30

**MALE 55%** FEMALE 45%

2 587 347 CANCER SURVINORS **47** 033 HODGKIN LYMPHOMA **CANCER SURVIVORS** 


**COMPLETE PREVALENCE BY SEX, MACRO-AREA, AND AGE** 

(PROPORTION PER 100 000)


AGE CLASS →	0-44	45-59	60-74	75+	ALL AGES
MALE					
NORTH WEST	68	130	154	135	102
NORTH EAST	59	120	125	150	90
CENTRE	63	129	141	118	94
SOUTH	55	114	116	140	82
POOL	60	121	132	140	91
FEMALE					
NORTH WEST	66	107	86	67	78
NORTH EAST	56	92	80	62	68
CENTRE	55	80	70	44	61
SOUTH	60	81	82	43	66
POOL	60	91	82	57	70
BOTH SEXES					
NORTH WEST	67	118	118	91	90
NORTH EAST	57	106	101	94	79
CENTRE	59	104	104	73	77
SOUTH	57	96	98	81	73
POOL	60	106	105	88	80

ALREADY CURED at 1 JANUARY 2010

33 755 (72%)



### **COMPLETE PREVALENCE AND PROPORTION** OF ALREADY CURED SURVIVORS BY SEX



# **CURE FRACTION AND TIME TO CURE BY AGE AT DIAGNOSIS AND SEX** FOR CANCER PATIENTS DIAGNOSED IN ITALY IN 1985-2009

	CURE FRACTION %		
AGE AT DIAGNOSIS	MALE	FEMALE	
0 - 44	83%	82%	
45 - 59	66%	85%	
60 - 74	38%	33%	

AGE AT DIAGNOSIS		
0 - 44		
45 - 59		
60 - 74		

TIME TO CURE YEARS				
MALE	FEMALE			
5	4			
12	4			
12	17			

All indicators of cure have been calculated excluding patients aged 75 years or more

#### COMPLETE PREVALENCE

SOUTH

CANCER REGISTRY AREAS

Overall number (or proportion) of cancer survivors

## TIME TO CURE

NORTH EAST

CANCER REGISTRY AREAS

Time span after cancer diagnosis necessary to eliminate excess mortality due to cancer. It is measured as the time necessary to reach a 5-year conditional relative survival (that is the probability to survive additional five years) >95%.

# ALREADY CURED SURVIVORS

Patients who have survived longer than time to cure.

#### **CURE FRACTION**

Proportion of cancer patients who are expected to reach the same death rates of the general population and will not die as a result of their cancer.