


# OROPHARYNX (ICD-IX 146)

## TORINO - Incident cases 1990-'94

| AGE CLASSES | Men       | Women     |
|-------------|-----------|-----------|
| 15-44       | 1         | 0         |
| 45-54       | 15        | 3         |
| 55-64       | 25        | 4         |
| 65-74       | 19        | 8         |
| 75+         | 5         | 3         |
| <b>ALL</b>  | <b>65</b> | <b>18</b> |




**Observed and Relative survival (%)**  
(in parenthesis 95% confidence limits of 5 years survival)

|                | Men        |            | Women      |            | ALL        |            |
|----------------|------------|------------|------------|------------|------------|------------|
|                | <i>obs</i> | <i>rel</i> | <i>obs</i> | <i>rel</i> | <i>obs</i> | <i>rel</i> |
| 1 year         | 68         | 69         | 67         | 68         | 67         | 69         |
| 3 years        | 42         | 44         | 56         | 58         | 45         | 47         |
| <b>5 years</b> | <b>32</b>  | <b>36</b>  | <b>39</b>  | <b>43</b>  | <b>34</b>  | <b>38</b>  |
| 95% CI         | (22-44)    | (25-50)    | (20-61)    | (22-67)    | (24-44)    | (27-49)    |

## GENOVA - Incident cases 1990-'94

| AGE CLASSES | Men       | Women     |
|-------------|-----------|-----------|
| 15-44       | 2         | 1         |
| 45-54       | 12        | 5         |
| 55-64       | 18        | 2         |
| 65-74       | 18        | 2         |
| 75+         | 6         | 4         |
| <b>ALL</b>  | <b>56</b> | <b>14</b> |




**Observed and Relative survival (%)**  
(in parenthesis 95% confidence limits of 5 years survival)

|                | Men        |            | Women      |            | ALL        |            |
|----------------|------------|------------|------------|------------|------------|------------|
|                | <i>obs</i> | <i>rel</i> | <i>obs</i> | <i>rel</i> | <i>obs</i> | <i>rel</i> |
| 1 year         | 70         | 71         | 79         | 81         | 71         | 73         |
| 3 years        | 25         | 27         | 64         | 71         | 33         | 36         |
| <b>5 years</b> | <b>16</b>  | <b>18</b>  | <b>43</b>  | <b>50</b>  | <b>21</b>  | <b>25</b>  |
| 95% CI         | (9-28)     | (10-32)    | (21-67)    | (25-79)    | (13-32)    | (15-37)    |

# OROPHARYNX (ICD-IX 146)

## VARESE - Incident cases 1990-'94

| AGE CLASSES | Men       | Women     |
|-------------|-----------|-----------|
| 15-44       | 3         | 0         |
| 45-54       | 20        | 1         |
| 55-64       | 23        | 2         |
| 65-74       | 24        | 3         |
| 75+         | 6         | 4         |
| <b>ALL</b>  | <b>76</b> | <b>10</b> |




**Observed and Relative survival (%)**  
(in parenthesis 95% confidence limits of 5 years survival)

|                | Men        |            | Women      |            | ALL        |            |
|----------------|------------|------------|------------|------------|------------|------------|
|                | <i>obs</i> | <i>rel</i> | <i>obs</i> | <i>rel</i> | <i>obs</i> | <i>rel</i> |
| 1 year         | 64         | 66         | 80         | 83         | 66         | 68         |
| 3 years        | 39         | 42         | 60         | 66         | 42         | 45         |
| <b>5 years</b> | <b>26</b>  | <b>30</b>  | <b>40</b>  | <b>48</b>  | <b>28</b>  | <b>32</b>  |
| 95% CI         | (18-37)    | (20-42)    | (17-69)    | (20-83)    | (20-38)    | (22-43)    |

## VENETO - Incident cases 1990-'94

| AGE CLASSES | Men        | Women     |
|-------------|------------|-----------|
| 15-44       | 14         | 4         |
| 45-54       | 39         | 7         |
| 55-64       | 62         | 11        |
| 65-74       | 37         | 5         |
| 75+         | 21         | 7         |
| <b>ALL</b>  | <b>173</b> | <b>34</b> |




**Observed and Relative survival (%)**  
(in parenthesis 95% confidence limits of 5 years survival)

|                | Men        |            | Women      |            | ALL        |            |
|----------------|------------|------------|------------|------------|------------|------------|
|                | <i>obs</i> | <i>rel</i> | <i>obs</i> | <i>rel</i> | <i>obs</i> | <i>rel</i> |
| 1 year         | 69         | 70         | 76         | 78         | 70         | 72         |
| 3 years        | 35         | 37         | 50         | 54         | 37         | 40         |
| <b>5 years</b> | <b>22</b>  | <b>25</b>  | <b>41</b>  | <b>46</b>  | <b>25</b>  | <b>29</b>  |
| 95% CI         | (17-29)    | (19-33)    | (26-58)    | (29-65)    | (20-32)    | (22-36)    |

# OROPHARYNX (ICD-IX 146)

FIRENZE-PRATO - Incident cases 1990-'94

| AGE<br>CLASSES | Men       | Women     |
|----------------|-----------|-----------|
| 15-44          | 2         | 1         |
| 45-54          | 21        | 3         |
| 55-64          | 22        | 6         |
| 65-74          | 12        | 7         |
| 75+            | 6         | 2         |
| <b>ALL</b>     | <b>63</b> | <b>19</b> |




**Observed and Relative survival (%)**  
(in parenthesis 95% confidence limits of 5 years survival)

|                | <i>Men</i> |            | <i>Women</i> |            | <b>ALL</b> |            |
|----------------|------------|------------|--------------|------------|------------|------------|
|                | <i>obs</i> | <i>rel</i> | <i>obs</i>   | <i>rel</i> | <i>obs</i> | <i>rel</i> |
| 1 year         | 76         | 77         | 74           | 75         | 76         | 77         |
| 3 years        | 43         | 45         | 37           | 39         | 41         | 44         |
| <b>5 years</b> | <b>36</b>  | <b>40</b>  | <b>37</b>    | <b>41</b>  | <b>37</b>  | <b>40</b>  |
| 95% CI         | (26-49)    | (28-54)    | (19-59)      | (21-66)    | (27-47)    | (30-52)    |

# OROPHARYNX (ICD-IX 146)

## Pool of Italian Registries

| REGISTRY      | Number of cases |            |            |
|---------------|-----------------|------------|------------|
|               | Men             | Women      | Total      |
| Torino        | 65              | 18         | 83         |
| Genova        | 56              | 14         | 70         |
| Varese        | 76              | 10         | 86         |
| Veneto        | 173             | 34         | 207        |
| Parma         | 31              | 3          | 34         |
| Modena        | 40              | 6          | 31         |
| Ferrara       | 25              | 6          | 31         |
| Romagna       | 18              | 4          | 22         |
| Macerata      | 5               | 1          | 6          |
| Firenze-Prato | 25              | 3          | 28         |
| Umbria        | 25              | 3          | 28         |
| Latina        | 14              | 0          | 14         |
| Sassari       | 8               | 2          | 10         |
| Ragusa        | 3               | 1          | 4          |
| <b>Italy</b>  | <b>602</b>      | <b>121</b> | <b>723</b> |



## Observed and relative survival (%) by sex and age classes

|                | 15-44     |           | 45-54     |           | 55-64     |           | 65-74     |           | 75+       |           | ALL       |           |
|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                | obs       | rel       | obs       | rel       | obs       | rel       | obs       | rel       | obs       | rel       | obs       | rel       |
| <b>Men</b>     |           |           |           |           |           |           |           |           |           |           |           |           |
| 1 year         | 79        | 79        | 75        | 76        | 75        | 76        | 64        | 65        | 53        | 57        | 70        | 71        |
| 3 years        | 45        | 45        | 43        | 44        | 43        | 44        | 34        | 37        | 20        | 26        | 38        | 41        |
| <b>5 years</b> | <b>34</b> | <b>35</b> | <b>34</b> | <b>35</b> | <b>32</b> | <b>35</b> | <b>20</b> | <b>23</b> | <b>13</b> | <b>20</b> | <b>28</b> | <b>31</b> |
| 95% CI         | (20-53)   | (20-53)   | (27-43)   | (28-44)   | (27-39)   | (28-42)   | (14-27)   | (17-32)   | (7-24)    | (10-37)   | (24-31)   | (27-35)   |
| <b>Women</b>   |           |           |           |           |           |           |           |           |           |           |           |           |
| 1 year         | 80        | 80        | 75        | 75        | 71        | 72        | 81        | 82        | 50        | 54        | 70        | 72        |
| 3 years        | 60        | 60        | 58        | 59        | 54        | 54        | 52        | 54        | 32        | 41        | 50        | 53        |
| <b>5 years</b> | <b>60</b> | <b>60</b> | <b>54</b> | <b>55</b> | <b>43</b> | <b>44</b> | <b>42</b> | <b>46</b> | <b>16</b> | <b>25</b> | <b>40</b> | <b>45</b> |
| 95% CI         | (31-83)   | (31-84)   | (35-72)   | (36-73)   | (26-61)   | (27-63)   | (26-59)   | (29-65)   | (7-35)    | (10-54)   | (32-49)   | (36-56)   |
| <b>Total</b>   |           |           |           |           |           |           |           |           |           |           |           |           |
| 1 year         | 79        | 80        | 75        | 75        | 75        | 76        | 66        | 68        | 52        | 56        | 70        | 72        |
| 3 years        | 49        | 49        | 45        | 46        | 44        | 46        | 37        | 40        | 24        | 30        | 40        | 43        |
| <b>5 years</b> | <b>41</b> | <b>41</b> | <b>37</b> | <b>38</b> | <b>34</b> | <b>36</b> | <b>23</b> | <b>27</b> | <b>14</b> | <b>22</b> | <b>30</b> | <b>33</b> |
| 95% CI         | (27-57)   | (27-57)   | (30-45)   | (31-46)   | (28-40)   | (30-42)   | (18-30)   | (21-35)   | (8-23)    | (13-35)   | (27-33)   | (30-37)   |

## Five Years Age-adjusted Relative Survival of 1986-89 and 1990-94 incident cases

